

Herd

FROM BIG TO SMALL WE'VE GOT IT ALL

2440 IS THE BIG ONE! COVERS ACRES AND ACRES WITHOUT STOPPING

Comes standard with hydraulic remote control.

You can use a quick-hitch with this one.

Use your own 8" stroke cylinder to open and close the seed gate from your tractor seat.

Heavy-duty independent stand and carrying frame.

Hopper is 14 gauge steel with full welded seams and good slant for self-cleaning.

Heavy cast-iron gear box has tapered roller bearings, drop-forged gears and is filled with gear oil.

The gearbox is standard for 540 rpm, but can be ordered for 1,000 rpm tractors also.

Shielded power take-off shaft with replaceable universal bearings.

Rotating agitator for even feeding. Heavy-duty corrosion resistant aluminum alloy fan with replaceable blades. Spread pattern easily centered by adjustable base plate.

Amounts can be controlled from 3 lbs. To 1,000 lbs. per acre. Uniform spreads up to 40 ft. Weight of material determines width of spread.



MODEL 2440 3-PT. FOR CATEGORY 2 TRACTORS

2440 lbs. Capacity-40 cubic ft.-32 bushels

OPTIONAL EQUIPMENT

Lid, 2 pieces.....#1136

Lime Agitator.....#158 for spreading dolomite and dehydrated lime. Not recommended for wet lime.

Small Seed Hopper.....#1090 To use on Model 2440, the #1037 Nose Extension and #1039 Control Kit are needed.

Use small seed hopper for spreading clover, sweet clover and alfalfa with oats

Hydraulic Motor.....#248 Hydraulic motor and valve available to power gearbox instead of PTO shaft.

Regular Trailer.....#268 Basic regular trailer frame w/45" PTO shaft, tongue jack and two 15" wheel (less tires)

Orchard Trailer.....#269 If trailer is desired with banding kits - this one must be used.

Parts Kit.....#1035 to complete mounting to trailer. *Comes standard when seeder & trailer are ordered together.

Herd Seeder Co., Inc.

2383 South U. S. 35, Logansport, IN 46947

Phone: 574-753-6311

Fax: 574-722-4106

www.herdseeder.com

info@herdseeder.com

MODEL 2440 WITH A 225 HYDRAULIC BANDING KIT

Herd



2440 with 225 Hydraulic Banding Kit

The Hydraulic controlled 225 Banding Kit takes the tedious work out of opening and closing....lets the cylinder do the work. Individual cables to each opening..... Disconnect one for one sided spreading. Precision openings fine for spreading granular chemicals as insecticides and herbicides. Also available, 2440 with #269 Orchard Trailer and #1035, w/low profile wheels and flotation tires. *Hydraulic cylinder and hose not included. (Picture not shown)

OPTIONAL EQUIPMENT

- Hydraulic controlled side-pattern kit (fits standard 2440 seeder.....#838
- Rear discharge only banding kit (gearbox must be set At 1000 rpm but run at 540 rpm).....#275
- Left side only banding kit.....#276



Control Side of 225 Hydraulic Banding Kit

Herd Seeder Co., Inc.
2383 South U.S. 35, Logansport, IN 46947
Phone: 574-753-6311 Fax: 574-722-4106
www.herdseeder.com info@herdseeder.com

