



**TAYLOR WAY[®] Series 350 Wing-Fold
and Series 351 Non-Fold Disk Harrow**



Rugged and dependable, Taylor-Pittsburgh's Tandem Disk Harrow series can fit almost any application. Choose from a standard configuration (non-fold) or the space-saving wing-fold design. With so many options, you'll be glad you own one of the best harrows on the market.

FEATURES

Heavy-duty main frames constructed of 3/8" x 4" x 4" tubular steel for strength.
Equipped with heat-treated scraper blades mounted on spring steel handles.
Adjustable 3/8" x 3" x 5" gang tubes adjust from 15° - 21°.
Simple front to rear leveling with spring loaded adjustment rod.
Hydraulic flat fold wings on folding model.
Wings lock into working position with adjustable locks.
Spring cushion or rigid bearing connectors.
Disk spacing of 7½", 9" or a combination of 9" front and 7½" rear is available.
Dual transport wheels are a standard on all models.
Transport light package is standard on all 12½ feet wide (transport position) units or larger.

SPECIFICATIONS

	350/351 Series Small Frame	350/351 Series Large Frame
Width of Cut: 350 Series:	9' to 12' 2" (non-fold)	12'10" to 16'4" (non-fold)
Width of Cut: 351 Series:	14'10" to 17'8" (wing-fold)	18'8" to 21'11" (wing-fold)
Disk Blade Size:	20" or 22" diameter	
Average weight per Blade:	119 lbs	100 lbs
Disk Blade Spacing:	7½", 9", 9" front 7½ " rear	
Frame Structure:	4" x 4" x 3/8" Wall	
Gang Tube Structure:	3" x 5" x 3/8" Wall	
Disk Gang Angle:	15°, 18°, 21°	
Gang Axle:	1 1/8" Round Corner Sq. High Carbon Steel	
Disk Spacers:	Machined Ductile Iron	
Disk Gang Bearing:	1 1/8" Square Regreaseable, Triple-Lip Seal	
Rigid Bearing Connectors:	Cast Ductile Iron	
Spring Bearing Connectors:	1" x 2" Spring	
Disk Blade Scrapers	Heat Treated High Carbon Steel	
Transport Width (350):	10' 6" (overall width when folded)	14' 10" (overall width when folded)
Transport Clearance:	10 inches	
Front to Rear Leveling:	Adjustable Spring Rod	
Hydraulic Cylinder Lift:	4" x 8"	
Hydraulic Cylinders (350):	3" x 16" (four required)	
OPTIONAL EQUIPMENT		EXTRA EQUIPMENT
20" or 22" x 7 gauge cut-out or round Disk 22" x 6 gauge cut-out or round Disk 7.6 x 15" or 9.5L x 15" 6-ply tires 15" x 6" or 15" x 8" rims		Balk Braker attachment Furrow Filler attachment Gang Connectors Gang Bolt Wrench

EFFECTIVE 4/01/09

350 SERIES

Narrow Frame - 22" Blades - 7½" Disc Spacing

Cutting Width	15' 1"	15' 1"	16' 3"	16' 3"	17' 5"	17' 5"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	48	48	52	52	56	56
Unit Weight, lbs.	5034	5150	5239	5399	5487	5647
Number of Bearings	16	16	16	16	16	16
Transport Wheels	4	4	4	4	4	4
Wing Size	5F/5R	5F/5R	6F/6R	6F/6R	7F/7R	7F/7R
Approx. DB Hp	90	90	95	95	100	100

350-S-48-77-22RD-Y	N 350 15 FT 1 IN HARROW YELLOW W/7.5 IN SP STD HANGERS 22 IN RD DISC	5034	\$ 22,790
---------------------------	---	------	------------------

350-F-48-77-22RD-Y	N 350 15 FT 1 IN HARROW YELLOW W/7.5 IN SP FLEX HANGERS 22 IN RD DISC	5150	\$ 23,207
---------------------------	--	------	------------------

350-F-48-77-22CF-Y	N 350 15 FT 1 IN HARROW YELLOW W/7.5 IN SP FLEX HANGERS 22 IN COF DISC	5124	\$ 23,318
---------------------------	---	------	------------------

350-F-56-77-22CF-Y	N 350 17 FT 5 IN HARROW YELLOW W/7.5 IN SP FLEX HANGERS COF DISC	5616	\$ 25,313
---------------------------	---	------	------------------

350-F-56-77-22CF-R	N 350 17 FT 5 IN HARROW RED W/7.5 IN SP FLEX HANGERS COF DISC	5616	\$ 25,313
---------------------------	--	------	------------------

Wide Frame - 22" Blades - 7½" Disc Spacing

Cutting Width	18' 8"	18' 8"	19' 10"	19' 10"	21' 0"	21' 0"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	60	60	64	64	68	68
Unit Weight, lbs.	6010	6250	6258	6498	6506	6746
Number of Bearings	24	24	24	24	24	24
Transport Wheels	4	4	4	4	4	4
Wing Size	5F/5R	5F/5R	6F/6R	6F/6R	7F/7R	7F/7R
Approx. DB Hp	115	115	120	120	125	125

350-F-60-77-22RD-Y	W 350 18 FT 8 IN HARROW YELLOW W/7.5 IN SP FLEX HANGERS 22 IN RD DISC	6250	\$ 27,272
---------------------------	--	------	------------------

350-S-64-77-22CO-Y	W 350 19 FT 10 IN HARROW YELLOW W/7.5 IN SP STD HANGERS 22 IN CO DISC	6188	CFP
---------------------------	--	------	------------

EFFECTIVE 4/01/09

350 SERIES

Narrow Frame - 22" Blades - 9"FT / 7½"RR Disc Spacing

Cutting Width	15' 1"	15' 1"	16' 3"	16' 3"	17' 5"	17' 5"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	44	44	48	48	52	52
Unit Weight, lbs.	4882	5042	5130	5290	5369	5529
Number of Bearings	16	16	16	16	16	16
Transport Wheels	4	4	4	4	4	4
Wing Size	4F/4R	4F/4R	5F/5R	5F/5R	6F/6R	6F/6R
Approx. DB Hp	90	90	95	95	100	100

350-F-44-97-22CF-Y	N 350 15 FT 1 IN HARROW YELLOW W/9IN/7.5IN SP FLEX HANGERS 22 IN COF	5018	\$ 22,731
---------------------------	---	------	------------------

350-F-48-97-22CF-Y	N 350 16 FT 3 IN HARROW YELLOW W/9IN/7.5IN SP FLEX HANGERS 22 IN COF	5264	\$ 23,394
---------------------------	---	------	------------------

350-F-52-97-22CO-Y	N 350 17 FT 5 IN HARROW YELLOW W/9IN/7.5IN SP FLEX HANGERS 22 IN CO	5472	\$ 24,281
---------------------------	--	------	------------------

Narrow Frame - 22" Blades - 9" Disc Spacing

Cutting Width	14' 10"	14' 10"	16' 3"	16' 3"	17' 8"	17' 8"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	40	40	44	44	48	48
Unit Weight, lbs.	4769	4929	5017	5177	5265	5425
Number of Bearings	16	16	16	16	16	16
Transport Wheels	4	4	4	4	4	4
Wing Size	4F/5R	4F/5R	5F/5R	5F/5R	6F/6R	6F/6R
Approx. DB Hp	90	90	95	95	100	100

350-S-44-99-22CO-Y	N 350 16 FT 3 IN HARROW YELLOW W/9 IN SP STD HANGERS 22 IN CO DISC	4969	\$ 22,596
---------------------------	---	------	------------------

350-S-48-99-22RD-Y	N 350 17 FT 8 IN HARROW YELLOW W/9 IN SP STD HANGERS 22 IN RD DISC		\$ 22,328
---------------------------	---	--	------------------

350-F-48-99-22RD-Y	N 350 17 FT 8 IN HARROW YELLOW W/9 IN SP FLEX HANGERS 22 IN RD DISC		\$ 22,755
---------------------------	--	--	------------------

350 SERIES

Wide Frame - 22" Round Blades - 9" Disc Spacing

Cutting Width	19' 1"	19' 1"	20' 6"	20' 6"	21' 11"	21' 11"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	52	52	56	56	60	60
Unit Weight, lbs.	5812	6052	6037	6277	6285	6525
Number of Bearings	24	24	24	24	24	24
Transport Wheels	4	4	4	4	4	4
Wing Size	4F/4R	4F/4R	5F/5R	5F/5R	6F/6R	6F/6R
Approx. DB Hp	115	115	120	120	125	125

350-S-52-99-22RD-Y	N 350 19 FT 1 IN HARROW YELLOW W/9 IN SP STD HANGERS 22 IN RD DISC		CFP
350-F-52-99-22RD-Y	N 350 19 FT 1 IN HARROW YELLOW W/9 IN SP FLEX HANGERS 22 IN RD DISC		\$ 26,216
350-S-56-99-22CO-R	W 350 20 FT 6 IN HARROW RED W/9 IN SP STD HANGERS 22 IN CO DISC	5976	\$ 27,272
350-F-60-99-22CO-Y	W 350 21 FT 11 IN HARROW YELLOW W/9 IN SP FLEX HANGERS 22 IN CO DISC	6459	\$ 28,548

351 SERIES

Narrow Frame - 22" Blades - 7½" Disc Spacing

Cutting Width	9' 3"	9' 3"	10' 5"	10' 5"	11' 6"	11' 6"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	28	28	32	32	36	36
Unit Weight, lbs.	3538	3618	3716	3833	3888	4048
Number of Bearings	8	8	8	12	16	16
Transport Wheels	4	4	4	4	4	4

351-S-28-77-22CO-Y	N351 9 FT 3 IN W/T HARROW YELLOW W/7.5 IN SP STD HANGERS 22 IN CO DISC	3669	\$ 12,717
351-S-28-77-20CF-Y	N351 9 FT 3 IN W/T HARROW YELLOW W/7.5 IN SP STD HANGERS 20 IN COF DISC	3524	\$ 12,266
351-F-32-77-22RD-Y	N351 10 FT 5 IN W/T HARROW YELLOW W/7.5 IN SP FLEX HANGERS 22 IN RD DISC	4018	\$ 13,417

EFFECTIVE 4/01/09

351 SERIES

Wide Frame - 22" Blades - 7½" Disc Spacing

Cutting Width	12' 10"	12' 10"	14' 0"	14' 0"	15' 2"	15' 2"	16' 4"	16' 4"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	40	40	44	44	48	48	52	52
Unit Weight, lbs.	4303	4463	4513	4673	4723	4883	4933	5093
Number of Bearings	16	16	16	16	16	16	16	16
Transport Wheels	4	4	4	4	4	4	4	4

351-S-40-77-22CF-Y	W351 12 FT 10 IN W/T HARROW YELLOW W/7.5 IN SP STD HANGERS 22 IN COF DISC	4512	\$ 16,949
---------------------------	--	------	------------------

351-S-40-77-22CO-Y	W351 12 FT 10 IN W/T HARROW YELLOW W/7.5 IN SP STD HANGERS 22 IN CO DISC	4491	\$ 17,032
---------------------------	---	------	------------------

351-S-40-77-22RD-Y	W351 12 FT 10 IN W/T HARROW YELLOW W/7.5 IN SP STD HANGERS 22 IN RD DISC	4534	\$ 16,865
---------------------------	---	------	------------------

351-F-44-77-22RD-R	W351 14 FT W/T HARROW RED W/7.5 IN SP FLEX HANGERS 22 IN RD DISC	4927	\$ 17,910
---------------------------	---	------	------------------

351-F-48-77-22RD-R	W351 15 FT 2 IN W/T HARROW RED W/7.5 IN SP FLEX HANGERS 22 IN RD. DISC	5160	\$ 18,401
---------------------------	---	------	------------------

Narrow Frame - 22" Blades - 9"FT / 7½"RR Disc Spacing

Cutting Width	9' 3"	9' 3"	10' 5"	10' 5"	11' 6"	11' 6"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	26	26	30	30	34	34
Unit Weight, lbs.	3503	3583	3693	3773	3888	4028
Number of Bearings	8	8	8	8	14	14
Transport Wheels	4	4	4	4	4	4

351-S-26-97-22CF-Y	N351 9 FT 3 IN W/T HARROW YELLOW W/9IN/7.5IN SP STD HANGERS 22 IN COF	3639	\$ 12,391
---------------------------	--	------	------------------

351-S-30-97-22CF-Y	N351 10 FT 5 IN W/T HARROW YELLOW W/9IN/7.5IN SP STD HANGERS 22 IN COF	3850	\$ 12,891
---------------------------	---	------	------------------

351-S-30-97-22CO-Y	N351 10 FT 5 IN W/T HARROW YELLOW W/9 IN/7.5 IN SP STD HANGERS 22 IN CO	3834	\$ 12,952
---------------------------	--	------	------------------

351-F-30-97-22CO-Y	N351 10 FT 5 IN W/T HARROW YELLOW W/9IN/7.5IN SP FLEX HANGERS 22 IN CO	3914	\$ 13,142
---------------------------	---	------	------------------

EFFECTIVE 4/01/09

351 SERIES

Narrow Frame - 22" Blades - 9"FT / 7½"RR Disc Spacing (cont.)

351-S-34-97-22CF-Y	N351 11 FT 6 IN W/T HARROW YELLOW W/9IN/7.5IN SP STD HANGERS 22 IN COF	4066	\$ 14,539
351-S-34-97-22CO-Y	N351 11 FT 6 IN W/T HARROW YELLOW W/9IN/7.5IN SP STD HANGERS 22 IN CO	4047	\$ 14,608
351-S-34-97-22RD-Y	N351 11 FT 6 IN W/T HARROW YELLOW W/9IN/7.5IN SP STD HANGERS 22 IN RD	4085	\$ 14,473
351-F-34-97-22CF-Y	N351 11 FT 6 IN W/T HARROW YELLOW W/9IN/7.5IN SP FLEX HANGERS 22 IN COF	4206	\$ 14,883

Wide Frame - 22" Blades - 9"FT / 7½"RR Disc Spacing

Cutting Width	14' 0"	14' 0"	15' 2"	15' 2"	16' 4"	16' 4"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	40	40	44	44	48	48
Unit Weight, lbs.	4358	4518	4573	4733	4778	4983
Number of Bearings	16	16	16	16	16	16
Transport Wheels	4	4	4	4	4	4

Narrow Frame - 22" Blades - 9" Disc Spacing

Cutting Width	9' 4"	9' 4"	10' 9"	10' 9"	12' 2"	12' 2"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	24	24	28	28	32	32
Unit Weight, lbs.	3463	3543	3673	3753	3883	4003
Number of Bearings	8	8	8	8	12	12
Transport Wheels	4	4	4	4	4	4

351-S-24-99-20CO-Y	N351 9 FT 4 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 20 IN CO DISC	3444	\$ 11,731
351-S-24-99-22CF-Y	N351 9 FT 4 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 22 IN COF DISC	3589	\$ 12,116
351-S-24-99-22CO-Y	N351 9 FT 4 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 22 IN CO DISC	3576	\$ 12,163
351-S-28-99-20CF-Y	N351 10 FT 9 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 20 COF DISC	3662	\$ 12,342

EFFECTIVE 4/01/09

351 SERIES

Narrow Frame - 22" Blades - 9" Disc Spacing (cont.)

351-S-28-99-20CO-Y	N351 10 FT 9 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 20 9N CO DISC	3651	\$ 12,356
351-S-28-99-22CO-Y	N351 10 FT 9 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 22 IN CO DISC	3805	\$ 12,781
351-F-28-99-20CO-Y	N351 10 FT 9 IN W/T HARROW YELLOW W/9 IN SP FLEX HANGERS 20 IN CO DISC	3731	\$ 12,522
351-F-28-99-22CO-Y	N351 10 FT 9 IN W/T HARROW YELLOW W/9 IN SP FLEX HANGERS 22 IN CO DISC	3885	\$ 12,898
351-S-32-99-22CF-Y	N351 12 FT 2 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 22 IN COF DISC	4051	\$ 14,333
351-S-32-99-22CO-R	N351 12 FT 2 IN W/T HARROW RED W/9 IN STD HANGERS 22 IN CO DISC	4033	\$ 14,332
351-S-32-99-22CO-Y	N351 12 FT 2 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 22 IN CO DISC	4033	\$ 14,332
351-F-32-99-22CO-Y	N351 12 FT 2 IN W/T HARROW YELLOW W/9 IN SP FLEX HANGERS 22 IN CO DISC	4153	\$ 14,743

Wide Frame - 22" Blades - 9" Disc Spacing

Cutting Width	13' 7"	13' 7"	14' 10"	14' 10"	16' 3"	16' 3"
Bearing Hanger Type	Standard	Flex	Standard	Flex	Standard	Flex
Number of Discs	36	36	40	40	44	44
Unit Weight, lbs.	4203	4363	4418	4578	4623	4783
Number of Bearings	16	16	16	16	16	16
Transport Wheels	4	4	4	4	4	4

351-S-36-99-22CF-Y	W351 13 FT 7 IN W/T HARROW YELLOW W/9 IN SP STD HANGERS 22 IN COF DISC	4391	\$ 16,432
351-F-36-99-22CO-Y	W351 13 FT 7 IN W/T HARROW YELLOW W/9 IN SP FLEX HANGERS 22 IN CO DISC	4532	\$ 16,450
351-F-40-99-22CF-Y	W351 14 FT 10 IN W/T HARROW YELLOW W/9 IN SP FLEX HANGERS 22 IN COF DISC	4787	\$ 17,043
351-F-44-99-22CO-Y	W351 16 FT 3 IN W/T HARROW YELLOW W/9 IN SP FLEX HANGERS 22 IN CO DISC	4989	\$ 17,661



650 Series Heavy Duty Offset Disc Harrows



Proven and precise, the Taylor-Way 650 Heavy Duty Offset Disc Harrow is the premium implement when you want customized options and power to get the job done right. The offset configuration provides maximum pulverization for primary as well as secondary tillage applications. Design features include heavy tubular frame construction, 1½" square gang axles for strength and Trunion mounted re-greasable bearings. Heavy duty with superior leveling capabilities, the 650 encompasses a broad range of cutting widths and blade spacings to select. That means you'll never have to sacrifice what you really want from your implement when you choose a Taylor-Way. Whether you need the 9", 10½" or combination 9" front and 10½" rear, you'll feel like this disc harrow was custom built just for you.

<u>Cutting Width</u>	<u>Disc Spacing</u>	<u>Bearing Hanger Type</u>	<u># of Discs</u>	<u>Unit Weight*</u>	<u># of Bearings</u>	<u>Approx. DB Hp</u>
8' 9"	10½"	Standard or Flex	21	4550	8	80
8' 9"	combination	Standard or Flex	23	4720	8	80
9' 1"	9"	Standard or Flex	25	4895	8	80
10' 5"	10½"	Standard or Flex	25	5015	8	100
10' 5"	combination	Standard or Flex	27	5095	10	100
10' 7"	9"	Standard or Flex	29	5170	12	100
12' 0"	9"	Standard or Flex	33	5590	12	120
12' 1"	10½"	Standard or Flex	29	5480	12	120
12' 1"	combination	Standard or Flex	31	5535	12	120
14' 1"	9"	Standard or Flex	39	7005	16	140
14' 7"	10½"	Standard or Flex	35	6915	14	140
14' 7"	combination	Standard or Flex	37	6960	16	140
16' 3"	9"	Standard or Flex	45	7615	18	160
16' 3"	10½"	Standard or Flex	39	7380	16	160
16' 3"	combination	Standard or Flex	42	7500	16	160
17' 8"	9"	Standard or Flex	49	8070	20	180
17' 11"	10½"	Standard or Flex	43	7845	18	180
17' 11"	combination	Standard or Flex	46	7960	20	180

***Note:** Weights are for Standard Bearing Hanger Models



650 Series Heavy Duty Offset Disc Harrows

650-F-25-10-24CO-R	N 650 10 FT 5 IN O/S HARROW RED W/10.5 IN SP FLEX HANGERS 24 IN CO DISC	5413	\$ 18,892
650-F-25-10-26CO-R	N 650 10 FT 5 IN O/S HARROW RED W/10.5 IN SP FLEX HANGERS 26 IN CO DISC	5547	\$ 19,592
650-F-25-10-26CO-Y	N 650 10 FT 5 IN O/S HARROW YELLOW W/10.5 IN SP FLEX HANGERS 26 IN CO DISC	5547	\$ 19,592
650-F-29-10-26CO-R	N 650 12 FT 1 IN O/S HARROW RED W/10.5 IN SP FLEX HANGERS 26 IN CO DISC	6071	\$ 22,771
650-F-29-10-26CO-Y	N 650 12 FT 1 IN O/S HARROW YELLOW W/10.5 IN SP FLEX HANGERS 26 IN CO DISC	6071	\$ 22,771
650-F-29-10-26RD-Y	N 650 12 FT 1 IN O/S HARROW YELLOW W/10.5 IN SP FLEX HANGERS 26 IN RD DISC	6129	\$ 22,154
650-F-33-9-26CO-Y	N 650 12 FT 0 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 26 IN CO DISC	6196	\$ 21,056
650-F-35-10-26RD-Y	W 650 14 FT 7 IN O/S HARROW YELLOW W/10.5 IN SP FELX HANGERS 26 IN RD DISC	7623	\$ 26,076
650-S-21-10-24CO-Y	N 650 8 FT 9 IN O/S HARROW YELLOW W/10.5 IN SP STD HANGERS 24 IN CO DISC	4859	\$ 17,940
650-S-25-10-26CO-Y	N 650 10 FT 5 IN O/S HARROW YELLOW W/10.5 IN SP STD HANGERS 26 IN CO DISC	5452	\$ 18,757
650-S-25-9-26CO-Y	N 650 9 FT 1 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 26 IN CO DISC	5322	\$ 18,236
650-S-33-9-24CO-Y	N 650 12 FT 0 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 24 IN CO DISC	5879	\$ 19,288
650-S-33-9-26CO-Y	N 650 12 FT 0 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 26 IN CO DISC	6078	\$ 20,153
650-S-39-10-26CO-Y	W 650 16 FT 3 IN O/S HARROW YELLOW W/10.5 IN SP STD HANGERS 26 IN CO DISC	7868	\$ 27,508
650-S-43-10-24CO-Y	W 650 17 FT 11 IN O/S HARROW YELLOW W/10.5 SP STD HANGERS 24 IN CO DISC	8117	\$ 28,259
650-S-43-10-26CO-Y	W 650 17 FT 11 IN O/S HARROW YELLOW W/10.5 IN SP STD HANGERS 26 IN CO DISC	8348	\$ 29,389

EFFECTIVE 4/01/09

670 Series Offset Disc Harrows



The Taylor-Way 670 Offset Disc Harrow is the result of proven, field tested engineering to give you precision performance in a variety of applications. This heavy duty Harrow is ideal for light and heavy field tillage, firebreak cutting and many orchard applications. The offset design enables maximum penetration and even tillage of soil. With over 12 widths to choice from, each available in stanard or flex bearing hanger type, the 670 Series can easily be customized to meet your specific application and hp needs. The heavy construction features 1½" square gang axles and common gang components of our larger models, making the 670 one of the most durable and dependable Harrows in its class. outstanding features and popular options from a name you trust... Taylor-Way.

<u>Cutting Width</u>	<u>Disc Spacing</u>	<u>Bearing Hanger Type</u>	<u>No. of Discs</u>	<u>Approx. Weight</u>	<u>No. of Bearings</u>	<u>Approx. DB Hp</u>
5' 6"	9"	Standard	15	2439	4	40
5' 6"	9"	Flex	15	2492	4	40
5' 11"	10"	Standard	15	2676	4	45
5' 11"	10"	Flex	15	2746	4	45
6' 3"	9"	Standard	17	2676	8	45
6' 3"	9"	Flex	17	2746	8	45
6' 9"	10"	Standard	17	2831	8	50
6' 9"	10"	Flex	17	2901	8	50
6' 11"	9"	Standard	19	2831	8	50
6' 11"	9"	Flex	19	2901	8	50
7' 7"	9"	Standard	21	2995	8	55
7' 7"	9"	Flex	21	3056	8	55
7' 9"	10"	Standard	19	2995	8	55
7' 9"	10"	Flex	19	3056	8	55
8' 4"	9"	Standard	23	3141	8	60
8' 4"	9"	Flex	23	3212	8	60
8' 4"	10"	Standard	21	3141	8	60
8' 4"	10"	Flex	21	3212	8	60
9'	9"	Standard	25	3504	8	65
9'	9"	Flex	25	3493	8	65
9' 1"	10"	Standard	23	3504	8	65
9' 1"	10"	Flex	23	3493	8	65
9' 9"	9"	Standard	27	3558	10	70
9' 9"	9"	Flex	27	3646	10	70
9' 11"	10"	Standard	25	3558	8	70
9' 11"	10"	Flex	25	3646	8	70



670 Series Offset Disc Harrows

670-F-15-10-26CO-Y	N 670 5 FT 11 IN O/S HARROW YELLOW W/10 IN SP FLEX HANGERS 26 IN CO DISC	2980	\$ 9,430
670-F-17-10-26CO-Y	N 670 6 FT 9 IN O/S HARROW YELLOW W/10 IN SP FLEX HANGERS 26 IN CO DISC	3142	\$ 11,955
670-F-17-9-24CF-Y	N 670 6 FT 3 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 24 IN COF DISC	2910	\$ 11,106
670-F-17-9-24CO-Y	N 670 6 FT 3 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 24 IN CO DISC	2896	\$ 11,131
670-F-19-9-24CO-Y	N 670 6 FT 11 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 24 IN CO DISC	3048	\$ 11,546
670-F-19-9-26CO-Y	N 670 6 FT 11 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 26 IN CO DISC	3150	\$ 12,098
670-F-21-10-26CF-Y	W 670 8 FT 4 IN O/S HARROW YELLOW W/10 IN SP FLEX HANGERS 26 IN COF DISC	3488	\$ 13,212
670-F-21-9-26CO-Y	W 670 7 FT 7 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 26 IN CO DISC	3312	\$ 12,578
670-F-23-10-24CO-Y	W 670 9 FT 1 IN O/S HARROW YELLOW W/10 IN SP FLEX HANGERS 24 IN CO DISC`	3736	\$ 12,789
670-F-23-10-26CO-Y	W 670 9 FT 1 IN O/S HARROW YELLOW W/10 IN SP FLEX HANGERS 26 IN CO DISC	3859	\$ 13,584
670-F-23-9-24CF-Y	W 670 8 FT 4 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 24 IN COF DISC	3371	\$ 12,618
670-F-23-9-24CO-Y	W 670 8 FT 4 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 24 IN CO DISC	3351	\$ 12,662
670-F-25-10-26CO-R	W 670 9 FT 11 O/S HARROW RED W/10 IN SP FLEX HANGERS 26 IN CO DISC	3917	\$ 14,089
670-F-25-10-26CO-Y	W 670 9 FT 11 IN O/S HARROW YELLOW W/10 IN SP FLEX HANGERS 26 IN CO DISC	3917	\$ 14,089
670-F-25-9-24RD-Y	W 670 9 FT 0 IN O/S HARROW YELLOW W/9 IN SP FLEX HANGERS 24 IN RD DISC	3775	\$ 12,772
670-S-17-10-24CO-Y	N 670 6 FT 9 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 24 IN CO DISC	2981	\$ 10,334
670-S-17-10-26CO-Y	N 670 6 FT 9 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 26 IN CO DISC	3072	\$ 10,831
670-S-17-9-24CO-Y	N 670 6 FT 3 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 24 IN CO DISC	2826	\$ 10,187
670-S-19-10-24CF-R	W670 7 FT 9 IN O/S HARROW RED W/10 IN SP STD HANGERS 24 IN COF DISC	3159	\$ 11,017
670-S-19-10-24CO-Y	W 670 7 FT 9 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 24 IN CO DISC	3143	\$ 11,051

EFFECTIVE 4/04/09



670 Series Offset Disc Harrows

670-S-19-9-24CF-Y	N 670 6 FT 11 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 24 IN COF DISC	2994	\$ 10,158
670-S-19-9-24CO-Y	N 670 6 FT 11 IN O/S HARROW YELLOW W/9IN SP STD HANGERS 24 IN CO DISC	2978	\$ 10,147
670-S-19-9-26CF-Y	N 670 6 FT 11 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 26 IN COF DISC	3169	\$ 10,635
670-S-21-10-24CF-Y	W 670 8 FT 4 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 24 IN COF DISC	3302	\$ 10,749
670-S-21-10-24CO-Y	W 670 8 FT 4 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 24 IN CO DISC	3284	\$ 10,738
670-S-21-10-26CF-Y	W 670 8 FT 4 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 26 IN COF DISC	3418	\$ 11,229
670-S-23-10-24CO-Y	W 670 9 FT 1 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 24 IN CO DISC	3646	\$ 11,127
670-S-23-9-24CO-Y	W 670 8 FT 4 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 24 IN CO DISC	3281	\$ 11,121
670-S-25-10-24CO-Y	W 670 9 FT 11 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 24 IN CO DISC	3698	\$ 11,483
670-S-25-10-26CO-Y	W 670 9 FT 11 IN O/S HARROW YELLOW W/10 IN SP STD HANGERS 26 IN CO DISC	3832	\$ 12,291
670-S-25-9-24CO-Y	W 670 9 FT 0 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 24 IN CO DISC	3643	\$ 11,438
670-S-27-9-24CF-Y	W 670 9 FT 9 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 24 IN COF DISC	3718	\$ 11,834
670-S-27-9-24CO-Y	W 670 9 FT 9 IN O/S HARROW YELLOW W/9 IN SP STD HANGERS 24 IN CO DISC	3696	\$ 11,849

EFFECTIVE 4/04/09