

LOADER TO TRACTOR CHART**AGCO TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
ST25	Open	1990	5.3	2406	3
ST35	Open	2275	7.7	2408	11
ST35X	Open	2275	7.7	2408	11
ST40	Open	2275	7.7	2408	11
ST40X	Open	2275	7.7	2408	11
5650	Open	2610	11.9	2491	23
5660	Open	2610	11.9	2491	23
6710	Closed	2900	27.7	7214	55
6810	Closed	2900	27.7	7214	55
8775	Closed	2900	27.7	7214	55
8785	Closed	2900	27.7	7214	55
RT95	Closed	2900	27.7	7214	55
RT115	Closed	2900	27.7	7214	55

**BELARUS TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
500	Open	2800	11.8	102QX	41
800	Open	2800	11.8	102QX	41
9345	Open	2650	11.8	102QX	41

**BOLENS TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
1502, HST	Open	1850	3	2406	3
1504, HST	Open	1850	3	2406	3
1704, HST	Open	1850	3	2406	3
2102	Open	2062	4.8	2408	11
2104	Open	2062	4.8	2408	11
2702	Open	2062	5.4	2408	11
2704	Open	2062	5.4	2408	11

**CASE IH TRACTORS (INTERNATIONAL HARVESTER TRACTORS)**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
234	Open	1920	3.4	2406	3
234 Hydro	Open	1920	3.4	2406	3
235	Open	1920	3.4	2406	3
235 Hydro	Open	1920	3.4	2406	3
244	Open	1995	4.1	2408	11
245	Open	1990	4.6	2408	11
254	Open	1995	4.2	2408	11

LOADER TO TRACTOR CHART

## CASE IH TRACTORS (INTERNATIONAL HARVESTER TRACTORS)

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
255	Open	1990	4.2	2408	11
275	Open	2130	4.8	2408	11
584 Utility & R.C.	Open	2500	12.5	102QX	41
585 Utility & R.C.	Open	2500	17.3	102QX	41
595	Open	2500	15.1	2491, 2410	23, 27
684	Open	2500	12.5	102QX	41
685	Open	2500	18.1	102QX	41
695	Open	2500	15.8	2491, 2410	23, 27
784	Open	2000	12	102QX	41
884	Open	2500	13	102QX	41
885	Open	2500	15.8	102QX	41
895	Open	2500	15.8	2491, 2410	23, 27
Hydro 84 Utility R.C.	Open	2500	13	102QX	41
Hydro 85 R.C.	Open	2500	18.1	102QX	41
1120 Hydro	Open	2134	5.4	2406S	7
1130	Open	2134	7.2	2408	11
1140	Open	2134	7.2	2408	11
1290	Open	2500	15.3	102QX	41
1390	Open	2500	15.3	102QX	41
1490	Open	2500	15.3	102QX	41
1494	Open	2500	15.3	102QX	41
1594	Open	2500	20.1	102QX	41
1690	Open	2500	20.1	102QX	41
4210	Open	2500	16.1	2491	23
4230	Open	2500	16.1	2491	23
5120	Open	2600	20.1	102QX, 104QX	41, 47
5130	Open	2600	20.1	102QX, 104QX	41, 47
5140	Open	2600	20.1	102QX, 104QX	41, 47
C50	Open	2500	13	2410	27
C60	Open	2500	13	2410	27
C70	Open	2500	15.7	5211	37
C80	Open	2500	15.7	5211	37
C90	Open	2500	15.7	5211	37
C100	Open	2500	15.7	5211	37
CX70	Open	2500	15.7	5211	37
CX80	Open	2500	15.7	5211	37
CX90	Open	2500	15.7	5211	37
CX100	Open	2500	15.7	5211	37
DX21				2406	3
DX24				2406	3
D25	Open	2133	6.1	2408	11
DX25	Open	2133	7.1	2408	11
D29	Open	2133	6.6	2408	11

**LOADER TO TRACTOR CHART****CASE IH TRACTORS (INTERNATIONAL HARVESTER TRACTORS)**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
DX29	Open	2133	7.6	2408	11
D33	Open	2133	6.6	2408	11
DX33	Open	2133	6.6	2408	11
D35	Open	2133	7.6	2409	19
DX35	Open	2275	9.8	2409	19
D40	Open	2275	9.8	2409	19
DX40	Open	2500	9.8	2409	19
D45	Open	2500	9.8	2409	19
DX45	Open	2500	9.8	2409	19
JX55	Open	2750	11.8	4211	33
JX65	Open	2750	11.8	4211	33
JX75	Open	2700	14	4211	33
JX85	Open	2700	14	4211	33
JX80U	Open	3125	14.5	4211	33
JX90U	Open	3125	14.5	4211	33
JX100U	Open	3125	14.5	4211	33
MX100	Closed	2950	25	7214	55
MX110	Closed	2950	25	7214	55
MX120	Closed	2950	25	7214	55
MX135	Closed	2950	25	7214	55
MX150	Closed	2950	28	7214	55
MX170	Closed	2950	28	7214	55
MXM120	CCLS	2750	25	7214	55
MXM130	CCLS	2750	25	7214	55
MXM140	CCLS	2750	25	7214	55
MXM155	CCLS	2750	25	7214	55
MXM175	CCLS	2750	26	7214	55
MXM190	CCLS	2750	26	7214	55

**CUB CADET TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
7000				2406S	7
7192				2406S	7
7194	Open	2133	5.4	2406S	7
7200	Open	2133	5.8	2406S	7
7205HST	Open	2133	5.8	2406S	7
7234	Open	2133	7.2	2408	11
7235	Open	2133	7.2	2408	11
7242	Open	1575	3.25	2406S	7
7254	Open	1575	3.25	2406S	7
7260	Open	2133	7.8	2408	11
7264	Open	1575	3.25	2406S	7

LOADER TO TRACTOR CHART**CUB CADET TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
7265HST	Open	2133	7.8	2406	11
7272	Open	2133	7.3	2408	11
7274GD	Open	2133	7.3	2408	11
7275 HST	Open	2133	7.3	2408	11
7300GD	Open	2133	7.9	2408	11
7305HST	Open	2133	7.9	2408	11
7360	Open	2250	8.3	2409	19
8404	Open	2450	7.8	2409	19
8454	Open	2450	8.2	2409	19

**DEUTZ-ALLIS TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
5215HST	Open	1990	3.57	2406S	7
5215 GEAR	Open	1990	3.57	2406S	7
6060	Open	2375	11.5	102QX	41
6070	Open	2375	11.5	102QX	41
6080	Open	2375	11.5	102QX	41

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		

**JOHN DEERE TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
650	Open	2030	5.3	2406S	7
655	Open	2050	4	2406S	7
670	Open	2050	4	2406S	7
750	Open	2030	6.3	2406S	7
755	Open	2050	5.6	2406S	7
770	Open	2050	5.6	2406S	7
790	Open	2050	9.9	2406S	7
850	Open	2100	6.2	2408	11
855	Open	2050	5.6	2406S, 2408	7, 11
870	Open	2250	8.1	2408	11
950	Open	2100	5.8	2408	11
955	Open	2500	7.2	2408	11
970	Open	2250	8.7	2408, 2409	11, 19
990	Open	2262	8.5	2408	11
1050	Open	2100	5.8	2408	11

LOADER TO TRACTOR CHART

## JOHN DEERE TRACTORS (Continued)

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
1070	Open	2250	9	2409	19
1450	Open	2250	10.7	102QX	41
1650	Closed	2250	10.3	102QX	41
2350	Closed	2250	23	2410	27
2355	Closed	2320	23	2410	27
2510	Closed	2250	10	102QX	41
2520	Closed	2250	12.5	102QX	41
2550	Closed	2250	23	2410	27
2555	Closed	2320	23	2410	27
3010	Closed	2250	18	102QX	41
3020	Closed	2000	20	102QX	41
4000	Closed	2250	21	102QX	41
4010 Compact	Open	1994	5.7	2406	3
4010 Row Crop	Closed	2250	18	102QX	41
4020	Closed	2250	21	102QX	41
4030	Closed	2000	18	102QX	41
4040	Closed	2000	26	102QX	41
4050	Closed	2320	26	102QX	41
4100	Open	2418	5.1	2406	3
4110	Open	2418	5.1	2406	3
4115	Open	2420	7.4	2406	3
4200	Open	2125	7.3	2408	11
4210	Open	2125	7	2408	11
4230	Closed	2000	18	102QX	41
4240	Closed	2000	26	102QX	41
4250	Closed	2320	26	102QX	41
4300	Open	2500	8.2	2408	11
4310	Open	2500	8.6	2408	11
4400	Open	2500	8.2	2408	11
4410	Open	2500	8.6	2408	11
4500	Open	2500	9.9	2409	19
4510	Open	2500	10.6	2409	19
4600	Open	2500	10.3	2409	19
4610	Open	2500	10.6	2409	19
4700	Open	2500	10.3	2409	19
4710	Open	2500	10.6	2409	19
5103	Open	2828	11.4	2491	23
5203	Open	2828	11.4	2491	23
5303	Open	2828	11.4	2491	23
5105	Open	2755	10.9	2491	23
5205	Open	2755	10.9	2491	23
5200	Open	2800	16.2	2410	27
5210	Open	2755	11.4	2410, 4211	27, 33

**LOADER TO TRACTOR CHART****JOHN DEERE TRACTORS (Continued)**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
5220	Open	2755	11.4	2410, 4211	27, 33
5310	Open	2755	11.4	2410, 4211	27, 33
5300	Open	2800	16.2	2410	27
5320	Open	2755	11.4	2410, 4211	27, 33
5400	Open	2800	16.2	2410	27
5410	Open	2755	15.9	2410, 4211SS	27, 33
5420	Open	2755	15.9	2410, 4211SS	27, 33
5510	Open	2755	15.9	2410, 4211SS	27,33
5520	Open	2755	15.9	2410, 4211SS	27, 33
6110	Closed	2900	25.4	5211	37
6210	Closed	2900	25.4	5211	37
6310	Closed	2900	25.4	5211	37
6410	Closed	2900	25.4	5211	37
6510	Closed	2900	25.4	5211	37
6615	LSCF <sup>(1)</sup>	2500	17.5	2412	51
6715	LSCF <sup>(1)</sup>	2500	17.5	2412	51

(1)Load Sense Constant Flow

**KIOTI TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
LB1714	Open	2000	4.5	2406S	7
LB1914	Open	2000	4.5	2406S	7
LB2204	Open	2000	6.7	2408	11
LB2214	Open	2000	6.7	2408	11
LK2552	Open	2000	4.7	2408	11
LK2554	Open	2000	4.7	2408	11
LB2614	Open	2000	6.7	2408	11
LK3054	Open	2000	7.6	2408	11
LK3504	Open	2000	7	2408	11
DK35	Open	2030	7.8	2409	19
DK35C	Open	2030	7.8	2409	19
DK40	Open	2500	7.5	2409	19
DK45	Open	2465	8	2409	19
DK50	Open	2465	8.5	2409	19
DK55	Open	2720	9.9	2491	23
DK65	Open	2850	10.3	4211	33

LOADER TO TRACTOR CHART**KUBOTA TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
BX1500	Open	1780	4	2405	1
BX1800	Open	1778	5.5	2405	1
BX2200	Open	1778	5.5	2405	1
BX2230	Open	1600	4	2405	1
B1550 HSD	Open	1920	5.5	2406	3
B1700	Open	1280	5.8	2406	3
B1750 HSD	Open	1920	5.5	2406	3
B2100	Open	1280	5.8	2406	3
B2150 HSD	Open	1920	7.4	2406	3
B2400	Open	1280	5.8	2406	3
B2410	Open	2000	5.8	2406	3
B2710	Open	1950	6.1	2406, 2408	3, 11
B2910	Open	2000	6.4	2406, 2408	3, 11
B6200DT, HSD	Open	1630	4	2406	3
B7100HST-D	Open	1600	3	2406	3
B7200DT, HSD	Open	1630	4	2406	3
B7300	Open	1280	3.9	2406	3
B7400	Open	2000	4.4	2406	3
B7500	Open	2000	4.4	2406	3
B7510	Open	2200	4.4	2406	3
B7610	Open	2200	4.4	2406	3
B7800	Open	2900	6.4	2406, 2408	3, 11
B8200DT, HSD	Open	1800	4	2406	3
B9200HSD	Open	2133	7.1	2406	3
L235	Open	2000	6.2	2408	11
L235 DT	Open	2000	6.2	2408	11
L275	Open	2000	6.2	2408	11
L275 DT	Open	2000	6.2	2408	11
L2050	Open	2133	4.4	2408	11
L2250	Open	2275	6.7	2408	11
L2350	Open	2133	5.8	2408	11
L2500	Open	2100	4.6	2408	11
L2600	Open	2205	7.2	2408	11
L2550 DT & GST	Open	2275	6.7	2408	11
L2650 GST	Open	2485	7.8	2408	11
L2850 F, DT, GST	Open	2275	7.8	2408	11
L2900GST, DT	Open	2490	7	2408	11
L2950 GST	Open	2485	7.8	2408	11
L3000	Open	2205	6.9	2408	11
L3010 DT, GST, HST, F	Open	2490	7	2408	11
L3130 FST, GST, HST	Open	2560	8.3	2409	19
L3250 F & DT	Open	2275	7.8	2408	11
L3300 GST, DT	Open	2490	7	2408	11

**LOADER TO TRACTOR CHART****KUBOTA TRACTORS (Continued)**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
L3350	Open	2500	9.3	2491	23
L3410 DT, GST, HST	Open	2490	7	2408	11
L3430 FST, GST, HSTC	Open	2560	8.3	2409	19
L3450 GST	Open	2485	9	2408	11
L3600	Open	2498	7.8	2409, 2491	19, 23
L3710 DT, GST, HST	Open	2490	7.8	2409, 2491	19, 23
L3750	Open	2500	8.9	2491	23
L3830 FST, GST, HST	Open	2560	8.3	2409	19
L4150	Open	2500	9.3	2491	23
L4200	Open	2490	7.8	2409, 2491	19, 23
L4300	Open	2347	7.8	2409, 2491	19, 23
L4310 DT, GST, HST	Open	2347	7.8	2409, 2491	19, 23
L4330 GST, HST, HSTC, FST	Open	2560	9.4	2491	23
L4350	Open	2630	11	2491	23
L4610	Open	2560	9.6	2409	19
L4630 GST, HST, HSTC, FST	Open	2560	9.8	2491	23
L4850	Open	2630	11	2491	23
L5030 GST, HST, HSTC, FST	Open	2560	9.8	2491	23
L5450	Open	2630	13	2491	23
MX5000	Open	2560	9.2	2409, 2491	19, 23
M4030 F, SU, DT	Open	2630	9.25	2410	27
M4700	Open	2701	13.4	2410	27
M4800, SU	Open	2630	9.5	2410	27
M4900	Open	2630	11.6	2410	27
M5700	Open	2630	11.6	2410	27
M5030 F, SU, DT, SUMDT	Open	2630	9.25	2410	27
M5400	Open	2701	15	2410	27
M6030 F, SU, DT	Open	2630	11	2410	27
M7030 SU, SU DT	Open	2630	11	2410	27
M6800	Open	2700	11	2410	27
M8200	Open	2700	11	5211	37
M9000	Open	2700	17	5211	37
M110	Open	2750	20.6	5211	37
M120	Open	2750	20.6	5211	37

**MASSEY FERGUSON TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
231	Open	2320	4	2409	19
231S	Open	2320	4	2409	19
240	Open	2540	4	2491	23
253	Open	2550	4/13.7	2491	23
271XE	Open	2540	11	4211	33

LOADER TO TRACTOR CHART**MASSEY FERGUSON TRACTORS (Continued)**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
281XE	Open	2540	11	4211	33
360	Both	2500	13.7	2410	27
362	Open	3000	14.1	2410	27
375	Both	2500	16.7	2410	27
383	Open	2500	9.5	2410	27
471	Open	2500	11	4211	33
481	Open	2500	11	4211	33
1010 HST	Open	1990	3.7	2406S	7
1020 HST	Open	2030	5.1	2408	11
1030	Open	2030	4.8	2408	11
1035 Gear	Open	2030	5.9	2408	11
1120, HST	Open	1930	4.8	2406	3
1125	Open	2130	6.7	2408	11
1205	Open	1800	4.8	2406	3
1215	Open	1800	4.8	2406	3
1230	Open	1984	6	2408	11
1233	Open	2130	6	2408	11
1235	Open	2130	63	2408	11
1140	Open	2130	6.9	2408	11
1145	Open	2130	6.9	2408	11
1240	Open	2130	6.7	2408	11
1250	Open	2130	6.9	2408	11
1260	Open	2130	6.9	2408	11
1433	Open	2275	7.7	2408	11
1433V	Open	2275	7.7	2408	11
1440	Open	2275	7.7	2408	11
1440V	Open	2275	7.7	2408	11
4225	Open	3050	10	4211SS	33
4233	Open	3050	10	4211SS	33
4235	Open	3050	10	4211SS	33
4243	Open	3046	14.4	5211	37
4245	Open	3046	17.3	5211	37
4253	Open	3046	17.3	5211	37
4255	Open	3046	17.3	5211	37
4263	Open	3050	10	2412	51
4270	Open	3050	10	2412	51
4345	Open	3046	17.3	5211	37
4355	Open	3046	17.3	5211	37
6255(1)	Open	2900	14.9	5211	37
6265(1)	Open	2900	14.9	5211	37

(1) TRACTORS WITH CCLS PISTON PUMP HAVE 2900 PSI AND 27.7 GPM

LOADER TO TRACTOR CHART**McCORMICK TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
C70	Open	2500	15.7	5211, 102QX	37, 41
C80	Open	2500	15.7	5211, 102QX	37, 41
C90	Open	2500	15.7	5211, 102QX	37, 41
C100	Open	2500	15.7	5211, 102QX	37, 41
CX70	Open	2500	15.7	5211	37
CX80	Open	2500	15.7	5211	37
CX90	Open	2500	15.7	5211	37
CX100	Open	2500	15.7	5211	37
MC115	Closed	2825	25	5211	37
MC120	CCLS	2800	25	5211	37
MC135	CCLS	2800	25	5211	37
MTX110	Closed		25	7214	55
MTX125	Closed		25	7214	55
MTX140	Closed		25	7214	55
MTX155	Closed		28	7214	55
MTX175	Closed		28	7214	55

**MITSUBISHI TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
MT160	Open	1920	3.8	2406	3
MT160D	Open	1920	3.8	2406	3
MT180	Open	1920	3.8	2406	3
MT180D	Open	1920	3.8	2406	3
MT180H	Open	1920	3.8	2406	3
MT180HD	Open	1920	3.8	2406	3
MT210 & MT210D	Open	2062	5.7	2408	11
MT250 & 250D	Open	2062	5.7	2408	11
MT300 & 300D	Open	2062	5.7	2408	11

**NEW HOLLAND TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
TC18	Open	1850	4	2406	3
TC21, D	Open	1850	4.9	2406	3
TC24D	Open	2000	4.9	2406	3
TC25, D	Open	2133	6.1	2408	11
TC29, D	Open	2133	7.1	2408	11
TC30	Open	2133	6.1	2408	11
TC33, D	Open	2133	7.1	2408	11

LOADER TO TRACTOR CHART

## NEW HOLLAND TRACTORS (Continued)

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
TC35, SS	Open	2775	9.8	2409	19
TC35A	Open	2775	9.8	2409	19
TC35DA	Open	2775	9.8	2409	19
TC40, SS	Open	2500	9.8	2409	19
TC40A	Open	2500	9.8	2409	19
TC40DA	Open	2500	9.8	2409	19
TC45, SS	Open	2500	9.8	2409	19
TC45A	Open	2500	9.8	2409	19
TC45DA	Open	2500	9.8	2409	19
TL70	Open	2750	14.5	2410, 5211	27, 37
TL80	Open	2750	14.5	2410, 5211	27, 37
TL90	Open	2750	14.5	2410, 5211	27, 37
TL100	Open	2750	14.5	2410, 5211	27, 37
TN55, D	Open	2755	16.9	2410, 4211	27, 33
TN55S	Open	2755	16.9	4211SS	33
TN60A, DA	Open	2755	16.9	2410, 4211	27, 33
TN60SA	Open	2755	16.9	4211SS	33
TN65, D	Open	2755	16.9	2410, 4211	27, 33
TN65S	Open	2755	16.9	4211SS	33
TN70, D, A, DA	Open	2755	16.9	2410, 4211	27, 33
TN70S, SA	Open	2755	16.9	4211SS	33
TN75S, SA	Open	2755	16.9	4211SS	33
TN75, D, A, DA	Open	2755	16.9	2410, 4211	27, 33
1110	Open	1850	4.3	2406	3
1120	Open	1850	4.7	2406	3
1210	Open	1850	4.3	2406	3
1215	Open	1850	4.7	2406	3
1220	Open	1850	4.7	2406	3
1310	Open	2133	6.3	2408	11
1320	Open	2133	6.4	2408	11
1510	Open	2133	6.6	2408	11
1520	Open	2133	6.4	2408	11
1530	Open	2133	7.1	2408	11
1620HST	Open	2133	6.4	2408	11
1630	Open	2133	7.1	2408	11
1710	Open	2133	7.8	2408	11
1715	Open	2133	6.4	2408	11
1720	Open	2133	7.8	2408	11
1725	Open	1700	6.1	2408	11
1910	Open	2133	8.6	2408	11
1920	Open	2133	7.8	2408	11
1925	Open	1700	6.1	2408	11

LOADER TO TRACTOR CHART

## NEW HOLLAND TRACTORS (Continued)

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
2000	Open	2500	4	2491	23
2100	Open	2500	4	2491	23
2120	Open	2500	9.3	2409, 2491	19, 23
2600	Open	2500	8.5	2491	23
2610	Open	2500	8.5	2491	23
2810	Open	2500	8.5	2491, 2410	23,27
2910	Open	2500	8.5	2491, 2410	23, 27
3000	Open	2500	5	2491	23
3010S	Open	2750	9	2491	23
3100	Open	2500	5	2491	23
3230	Open	2500	7.7	2491, 2410	23, 27
3415	Open	2500	9.3	2409, 2491	19, 23
3430	Open	2500	7.7	2491, 2410	23,27
3600	Open	2500	8.5	2491	23
3610	Open	2500	8.5	2491	23
3910	Open	2500	8.5	2491, 2410	23, 27
3930	Open	2500	7.7	2491, 2410	23, 27
4000 A.P.	Open	2500	8.5	2410	27
4000 S.U.	Open	250	8.5	2491	23
4100 S.U.	Open	2500	8.5	2491	23
4100 A.P.	Open	2500	8.5	2410	27
4110 S.U.	Open	2500	8.5	2491	23
4600 A.P.	Open	2500	8.5	2410	27
4600 S.U.	Open	2500	8.5	2491	23
4610 A.P.	Open	2500	8.5	102QX, 2410	27, 41
4610 A.P. 3 CYL & 4 CYL	Open	2500	8.5	102QX	41
4610 S.U.	Open	2500	8.5	2491	23
4630	Open	2500	7.7	2491, 2410, 102QX	23, 27, 41
4830	Open	2500	7.7	2410, 102QX	27, 41
4835	Open	2500	14	2410, 5211	27, 37
5030	Open	2500	7.7	2410, 102QX	27, 41
5600 A.P.	Open	2500	9.7	102QX	41
5610, A.P.	Open	2500	18.2	102QX,104QX	41, 47
5610S, A.P.	Open	2500	18.2	102QX	41
5635	Open	2500	14	2410, 5211	27, 37
5640	Closed	2600/2750	18.2/21.0	102QX, 2412	41, 51
5900 A.P.	Open	2500	9.7	102QX	41
6600 A.P.	Open	2500	9.7	102QX	41
6610 A.P.	Open	2500	18.2	102QX	41
6610S A.P.	Open	2500	18.2	102QX, 104QX	41, 47
6610 FWA	Open	2500	9.7	104QX	47
6635	Open	2500	14	2410, 5211	27, 37
6640(1)	Closed	2600/2750	18.2/21.0	102QX, 2412	41, 51

LOADER TO TRACTOR CHART

## NEW HOLLAND TRACTORS (Continued)

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
6700	Open	2500	9.7	102QX	41
6710	Open	2500	18.2	102QX	41
7600 A.P.	Open	2500	9.7	102QX	41
7610 A.P.	Open	2500	18.2	102QX	41
7610S A.P.	Open	2500	18.2	102QX	41
7610 FWA	Open	2500	18.2	104QX	47
7610S	Open	2500	18.2	104QX	47
7635	Open	2500	14	2410, 5211	27, 37
7700	Open	2500	9.7	102QX	41
7710	Both	2500	18.2	102QX, 104QX, 2412	41, 47, 51
7740	Closed	2600/2750	17.4/20.0	102QX, 2412	41, 51
7810	Open	2100	18.2	2412	51
7840	Closed	2600/2750	17.4/20.0	2412	51
8210	Both	2500	18.2	2412	51
8240(2)	Closed	2600/2750	17.4/20.0	2412	51
8340(2)	Closed	2600/2750	17.4/20.0	2412	51
8160	CCLS	2750	24.7	2412	51
8260	CCLS	2750	24.7	2412	51
8360	CCLS	2750	24.7	2412	51
8560	CCLS	2750	25.8	2412	51
TS90	Both	2600/2750	22	102QX, 2412	41, 51
TS100	Both	2600/2750	22	102QX, 2412	41, 51
TS110	Both	2600/2750	22	102QX, 2412	41, 51
TM115 Terra-Glide	Closed	2750	28	2412, 7214	51, 55
TM120, SS, Terra-Glide	CCLS	2750	25	7214	55
TM125, SS, Terri-Glide	Closed	2750	28	2412, 7214	51, 55
TM130, SS, Terra-Glide	CCLS	2750	25	7214	55
TM135, SS, Terri-Glide	Closed	2750	28	2412, 7214	51, 55
TM140, SS, Terri-Glide	CCLS	2750	25	7214	55
TM150, SS, Terri-Glide	Closed	2750	28	2412, 7214	51, 55
TM155, SS, Terra-Glide	CCLS	2750	25	7214	55
TM165, SS, Terri-Glide	Closed	2750	28	2412, 7214	51, 55
TM175, SS, Terra-Glide	CCLS	2750	26	7214	55
TM190, SS, Terra-Glide	CCLS	2750	26	7214	55
8530	Closed	2500	30.3	2412	51
8630	Closed	2500	29	2412	51
TW5	Closed	2500	25	2412	51
TW15	Closed	2500	23.8	2412	51

- (1) TRACTORS WITH CCLS PISTON PUMP HAVE 2800 PSI AND 21 GPM  
(2) TRACTORS WITH CCLS PISTON PUMP HAVE 2800 PSI AND 20 GPM  
(3) 13 GPM IS WITH AN AUXILIARY PUMP

LOADER TO TRACTOR CHART

**WHITE FARM TRACTORS**

Tractor Model	Tractor Hydraulic System			Fits Loader Model(s)	Refer To Page Number
	Type	PSI	GPM		
FB16, HST	Open	1900	2.6	2406	3
FB21	Open	2062	4.4	2408	11
FB31	Open	2133	5.3	2408	11
6045	Open	2610	11.9	2491	23
2-55	Open	2415	11.9	102QX	41
2-65	Open	2415	11.9	102QX	41
2-75	Open	2986	12	102QX	41
2-88	Closed	2250	21	102QX	41
2-110	Closed	2250	21	102QX	41
60	Closed	2200	20	104QX	47
80	Closed	2200	20	104QX	47
100	Closed	2250	19	102QX	42