

Warranty registration card



Nr. Leave blank

Date

Machine information

Model

Mach. ID

Delivery information

Dealer no.

Dealer name

Delivery date Date of delivery to your customer

Owner information

Name

Address

Postal code

Town

State

Tel. nr.

Dealer statement

I have given the operator manual to the owner of this machine

I have given an explanation of the safe operation of the machine to the owner

I have put the machine into operation with the owner

Dealer signature

Owner statement

I have received the operator manual for this machine

I have received an explanation of the safe operation of the machine by the dealer

The dealer has put the machine into operation with me

Owner's signature

Return the complete form to:

*ACI Distributors
3220 New Town Blvd.
St. Charles, MO 63301*



Vicon Mower, Mower Conditioner First 10 Hour Service

Owner _____
Address _____

Phone _____

- 1. Check with owner/operators for any operational problems that they may be experiencing with the machine.
- 2. Drain oil from the cutter-bar and replenish with new oil as per the operator instruction manual
- 3. Drain oil from the gearbox or gearboxes and replenish with new oil as per the operator instruction manual.
- 4. Check the tension of "Vee" belts and adjust in accordance with the manufacturers settings.
- 5. Check tensions of all bolts and nuts, and adjust as necessary.
- 6. Grease all grease points on the machine, including the drive shaft and telescoping tubes.
- 7. Run the machine for approximately 15 minutes and then recheck all oils and belt tensions.
- 8. Ensure owner/operator is aware of future servicing requirements.

This machine has been serviced in accordance with the above guidelines.

Dealer _____

Servicing Technician _____ Date _____

Owner/Operator _____ Date _____

Machine Model # _____

Machine Series # _____

Machine Serial # _____



Vicon Mower, Mower Conditioner After Season Service

Owner _____
Address _____

Phone _____

- 1. Check with owner/operator for any operational problems that they may be experiencing with the machine.
- 2. Drain oil from the cutter-bar and replenish with new oil as per the operator instruction manual.
- 3. Drain oil from the gearbox or gearboxes and replenish with new oil as per the operator instruction manual.
- 4. Check the tension of "Vee" belts and adjust in accordance with the manufacturer's settings.
- 5. Check tensions of all bolts and nuts, and adjust as necessary.
- 6. Grease all grease points on the machine, including the drive shaft and telescoping tubes.
- 7. Run the machine for approximately 15 minutes and then recheck all oils and belt tensions.
- 8. Ensure owner/operator is aware of servicing requirements.
- 9. Clean the machine also underneath the discs.
- 10. Check the knives for sharpness and the knife bolts for wearing.

This machine has been serviced in accordance with the above guidelines.

Dealer _____

Servicing Technician _____ Date _____

Owner/Operator _____ Date _____

Machine Model # _____

Machine Series # _____

Machine Serial # _____